



**ES WIRKT.**

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

**PTFE Trockenschmierung Spray**

Print date 22.01.2024  
Revision date 22.01.2024  
Version 8.2 (en)  
replaces version of 13.04.2023 (8.1)

**\* SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trade name/designation** PTFE Trockenschmierung Spray  
**Unique Formula Identifier** UFI: 8CDQ-7E13-X001-34Y0

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**  
Lubricant (dry lubrication)

**\* 1.3 Details of the supplier of the safety data sheet**

**Supplier**

F.W.Klever  
Hauptstraße 20  
D-84168 Aham  
Telephone +49 (0) 8744 96 99 10  
Telefax + 49 (0) 8744 96 99 96  
E-mail info@ballistol.de  
Website www.ballistol.de

Department responsible for information:  
Qualitätssicherung  
Telephone +49 (0) 8744 96 99 80

E-mail (competent person):  
info@ballistol.de

**Manufacturer**

F.W.Klever  
Hauptstraße 20  
D-84168 Aham  
Telephone +49 (0) 8744 96 99 10  
Telefax + 49 (0) 8744 96 99 96  
E-mail info@ballistol.de  
Website www.ballistol.de

Department responsible for information:  
Qualitätssicherung  
Telephone +49 (0) 8744 96 99 80

E-mail (competent person):  
info@ballistol.de

**1.4 Emergency telephone number**

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

**\* SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008 [CLP]      Classification procedure

Aerosol 1, H222  
Aerosol 1, H229  
Eye Irrit. 2, H319



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

PTFE Trockenschmierung Spray

Print date 22.01.2024
Revision date 22.01.2024
Version 8.2 (en)
replaces version of 13.04.2023 (8.1)

Hazard statements for physical hazards

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.

Hazard statements for health hazards

H319 Causes serious eye irritation.

\* 2.2 Label elements

\* Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms



GHS02



GHS07

Signal word

Danger

Hazard statements

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H319 Causes serious eye irritation.

\* Precautionary statements

P102 Keep out of reach of children.
P501 Dispose of contents / container to recycling
P251 Do not pierce or burn, even after use.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

Hazardous ingredients

Table with 8 columns: CAS No, EC No, Index No, Substance name, Concentration, Classification according to Regulation (EC) No 1272/2008 [CLP], SCL/ M/ ATE. Rows include propane (35 weight-%) and butane (15 weight-%).

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.
Remove affected person from the danger area and lay down.



**ES WIRKT.**

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

**PTFE Trockenschmierung Spray**

Print date 22.01.2024  
Revision date 22.01.2024  
Version 8.2 (en)  
replaces version of 13.04.2023 (8.1)

**Following inhalation**

Provide fresh air.

**Following skin contact**

After contact with skin, wash immediately with plenty of water and soap.  
In case of skin irritation, consult a physician.

**After eye contact**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.  
Call a physician immediately.

**Following ingestion**

Rinse mouth immediately and drink plenty of water.

**4.2 Most important symptoms and effects, both acute and delayed**

**Symptoms**

Unconsciousness  
Inebriation  
Vomiting  
Nausea  
Dizziness  
Dizziness

**4.3 Indication of any immediate medical attention and special treatment needed**

**Notes for the doctor**

Treat symptomatically.

---

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

**Suitable extinguishing media**

Foam  
Carbon dioxide (CO<sub>2</sub>)  
Water spray jet

**Unsuitable extinguishing media**

Full water jet

**5.2 Special hazards arising from the substance or mixture**

**Hazardous combustion products**

Carbon monoxide

**5.3 Advice for firefighters**

**Special protective equipment for firefighters**

In case of fire: Wear self-contained breathing apparatus.  
Wear full chemical protective clothing.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers.  
Heating causes rise in pressure with risk of bursting



**ES WIRKT.**

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

**PTFE Trockenschmierung Spray**

Print date 22.01.2024  
Revision date 22.01.2024  
Version 8.2 (en)  
replaces version of 13.04.2023 (8.1)

---

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

**For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Remove all sources of ignition.

**6.2 Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3 Methods and material for containment and cleaning up**

**For containment**

Suitable material for taking up:  
Sawdust  
Take up mechanically and send for disposal.

**6.4 Reference to other sections**

No data available

---

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

**Protective measures**

No special measures are necessary.  
Keep away from sources of ignition - No smoking.  
Do not inhale aerosols  
Avoid:  
Eye contact

**Advices on general occupational hygiene**

When using do not eat, drink, smoke, sniff.  
Storing of food in workroom forbidden.  
Wash hands before breaks and after work.

**7.2 Conditions for safe storage, including any incompatibilities**

**Materials to avoid**

Do not store together with:  
Food and feedingstuffs

**Further information on storage conditions**

Protect of heat.

**7.3 Specific end use(s)**

No data available

---

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**



**ES WIRKT.**

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

**PTFE Trockenschmierung Spray**

Print date 22.01.2024  
Revision date 22.01.2024  
Version 8.2 (en)  
replaces version of 13.04.2023 (8.1)

**Occupational exposure limit values**

CAS No	EC No	Substance name	occupational exposure limit value
106-97-8	203-448-7	n-Butane	600 [ml/m <sup>3</sup> (ppm)] 1450 [mg/m <sup>3</sup> ] Short-term(ml/m <sup>3</sup> ) 750 Short-term(mg/m <sup>3</sup> ) 1810 (UK)
106-97-8	203-448-7	n-Butane	Short-term(ml/m <sup>3</sup> ) 1000 (1) (1) 15 minutes average value (IE)

**8.2 Exposure controls**

**Personal protection equipment**

**Eye/face protection**

tightly fitting goggles

**Hand protection**

Gloves (solvent-resistant)

**Body protection:**

Protective clothing

**Respiratory protection**

Respiratory protection necessary at:  
insufficient ventilation

Suitable respiratory protection apparatus:  
Short term: filter apparatus, Filter A/P2

**Environmental exposure controls**

**Technical measures to prevent exposure**

---

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**Physical state**

Aerosol

**Colour**

colourless  
clear

**Odour**

like:  
Alcohol

**Safety relevant basis data**

	Value	Method	Source, Remark
Odour threshold:	not determined		
Melting point/freezing point	not determined		
Boiling point or initial boiling point and boiling range	approx. 78 °C pressure 1013 mbar		



**ES WIRKT.**

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

**PTFE Trockenschmierung Spray**

Print date 22.01.2024  
Revision date 22.01.2024  
Version 8.2 (en)  
replaces version of 13.04.2023 (8.1)

	Value	Method	Source, Remark
flammability	not determined		
Lower and upper explosion limit	Upper explosion limit 10.9 Vol-%		(Propan)
Lower and upper explosion limit	Lower explosion limit 1.5 Vol-%		(Propan)
Flash point	approx. -104 °C		(Propan)
Auto-ignition temperature	not determined		
Decomposition temperature	not determined		
pH	in delivery state approx. 7.5 (20°C)		neutral
Viscosity	not determined		
Solubility(ies)	Water solubility		multimiscible
Partition coefficient n-octanol/water (log value)	not determined		
Vapour pressure	approx. 60 hPa (20°C)		
Density and/or relative density	approx. 0.82 g/cm <sup>3</sup> (20°C) pressure 1013 mbar		information concerns to liquid phase
Relative vapour density	not determined		
particle characteristics	not determined		

**9.2 Other information**

No data available

**SECTION 10: Stability and reactivity**

**10.1 Reactivity**

No data available

**10.2 Chemical stability**

No data available

**10.3 Possibility of hazardous reactions**

No data available

**10.4 Conditions to avoid**

Container under pressure. Protect from direct exposure to sunlight and temperatures exceeding 50°C/122°F. Evolution of highly flammable gases/vapours.

**10.5 Incompatible materials**

Oxidising agent, strong

**10.6 Hazardous decomposition products**

Carbon monoxide  
Carbon dioxide



**ES WIRKT.**

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

**PTFE Trockenschmierung Spray**

Print date 22.01.2024  
Revision date 22.01.2024  
Version 8.2 (en)  
replaces version of 13.04.2023 (8.1)

**SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity**

**Animal data**

	Effective dose	Method,Evaluation	Source, Remark
Acute oral toxicity	> 5000 mg/kg Species Rat		Data apply to the main component.
Acute dermal toxicity	> 2000 mg/kg Species Rat		Data apply to the main component.
Acute inhalation toxicity	> 20000 mg/L Species Rat Exposure time 4 h		Details refer to the main component

**Skin corrosion/irritation**

**Animal data**

Result / Evaluation	Method	Source, Remark
non-irritant.		

**Serious eye damage/irritation**

**Animal data**

Result / Evaluation	Method	Source, Remark
Irritant.		

**Sensitisation to the respiratory tract**

not determined

**Skin sensitisation**

**Animal data**

Result / Evaluation	Dose / Concentration	Method	Source, Remark
not sensitising.			experiences

**Germ cell mutagenicity**

not determined

**Carcinogenicity**

not determined

**Reproductive toxicity**

not determined

**STOT-single exposure**

not determined

**STOT-repeated exposure**

not determined

**Aspiration hazard**

not determined

**11.2 Information on other hazards**

No data available



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

PTFE Trockenschmierung Spray

Print date 22.01.2024
Revision date 22.01.2024
Version 8.2 (en)
replaces version of 13.04.2023 (8.1)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Table with 4 columns: Toxicity description, Effective dose, Method/Evaluation, Source/Remark. Rows include acute and chronic fish toxicity, crustacea toxicity, and toxicity to algae and cyanobacteria.

12.2 Persistence and degradability

Table with 3 columns: Value, Method, Source/Remark. Row: Biodegradation, Readily biodegradable (according to OECD criteria).

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Additional ecotoxicological information

Additional information

Do not allow uncontrolled discharge of product into the environment. The breakdown properties of the product have not been tested. The information on these is given on the basis of details in the literature.





ES WIRKT.

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

PTFE Trockenschmierung Spray

Print date 22.01.2024
Revision date 22.01.2024
Version 8.2 (en)
replaces version of 13.04.2023 (8.1)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste codes/waste designations according to EWC/AVV

Table with 2 columns: Waste code product, Waste name. Row 1: 140603 \*, other solvents and solvent mixtures

Appropriate disposal / Package

Completely emptied packages can be recycled.
Recycle sales packaging via DSD (Duales System Deutschland).

Remark

Send to a hazardous waste incinerator facility under observation of official regulations.

SECTION 14: Transport information

Table with 4 columns: Parameter, Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR). Rows include UN number, shipping name, hazard class, packing group, and environmental hazards.

14.6 Special precautions for user

No data available

14.7 Maritime transport in bulk according to IMO instruments

No data available

Land transport (ADR/RID)

Table with 2 columns: Parameter, Value. Parameters include UN number, shipping name, hazard class, label, classification code, packing group, environmental hazards, limited quantity, special provisions, and tunnel restriction code.

Sea transport (IMDG)

Table with 2 columns: Parameter, Value. Parameters include UN number, shipping name, hazard class, and packing group.



**ES WIRKT.**

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

**PTFE Trockenschmierung Spray**

Print date 22.01.2024  
Revision date 22.01.2024  
Version 8.2 (en)  
replaces version of 13.04.2023 (8.1)

---

Environmental hazards	No
Limited quantity (LQ)	1 L
Marine pollutant	No
EmS	F-D, S-U

**Air transport (ICAO-TI / IATA-DGR)**

UN number or ID number	UN 1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	2.1
Packing group	-
Environmental hazards	No

---

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

No data available

**15.2 Chemical Safety Assessment**

For this substance a chemical safety assessment is not required.

---

**SECTION 16: Other information**

**Additional information**

National and local regulations concerning chemicals shall be observed. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

**Relevant H- and EUH-phrases (Number and full text)**

H220 Extremely flammable gas.

**Indication of changes**

\* Data changed compared with the previous version